

Shirley  
Technologies  
Limited

## Confidential Report

**Our Ref: 29/01360R/08/15**

Shirley Technologies Limited. Registered Office :  
Wira House, West Park Ring Road, Leeds, LS16 6QL.  
A company registered in England & Wales with company number 04669651.  
VAT Number GB 816764800.  
The supply of all goods and services is subject to our standard terms of  
business, copies of which are available on request.  
Our laboratories are accredited to EN ISO/IEC 17025





Shirley  
Technologies  
Limited

Shirley Technologies Limited  
Wira House  
West Park Ring Road  
Leeds, LS16 6QL  
United Kingdom

Tel: +44 (0)113 274 3434  
Fax: +44 (0)113 274 8344  
Web: <http://www.shirleytech.com>  
Email: [info@shirleytech.co.uk](mailto:info@shirleytech.co.uk)

25 September 2015

Page 1 of 2

Our Ref: 29/01360R/08/15  
Your Ref:

Client: Gudbrandsdalens Uldvarefabrik as

Address: N-2626 Lillehammer  
Norway

Job Title: Determination of Abrasion Resistance on One Sample

Client's Order Ref:

Date of Receipt: 19 August 2015

Description of Sample(s): One full width sample of woven fabric referenced by the Client:-  
**Quality 5042 Amdal**

Work Requested: EN ISO 12947-2 Martindale abrasion

Shirley Technologies Limited. Registered Office :  
Wira House, West Park Ring Road, Leeds, LS16 6QL.  
A company registered in England & Wales with company number 04669651.  
VAT Number GB 816764800.  
The supply of all goods and services is subject to our standard terms of  
business, copies of which are available on request.  
Our laboratories are accredited to EN ISO/IEC 17025



1066



Shirley  
Technologies  
Limited

Shirley Technologies Limited  
Wira House  
West Park Ring Road  
Leeds, LS16 6QL  
United Kingdom  
  
Tel: +44 (0)113 274 3434  
Fax: +44 (0)113 274 8344  
Web: <http://www.shirleytech.com>  
Email: [info@shirleytech.co.uk](mailto:info@shirleytech.co.uk)

25 September 2015

Page 2 of 2

Our Ref: 29/01360R/08/15  
Your Ref:  
  
Client: Gudbrandsdalens Uldvarefabrik as



Testing atmosphere: Unless otherwise specified the sample(s) has been conditioned and tested, where appropriate, in the standard atmosphere for conditioning and testing textiles (BS EN ISO 139:2005 + A1:2011) of 65±4% r.h. and 20±2°C.

**Determination of the Abrasion Resistance of Fabrics by the Martindale Method – Determination of Specimen Breakdown**

Date of test start: 04.09.15. Four specimens from the sample were tested, under a nominal pressure of 12 kPa(795±7g), with foam backing as requested by the Client, in accordance with BS EN ISO 12947-2:1998, using a Martindale abrasion tester as described in BS EN ISO 12947-1:1998. Specimen breakdown (end point) was reached when two separate threads had completely broken. The change of shade of the test specimens was not assessed. The tested specimens have been returned separately.

No. of rubs to end point  
105,000  
105,000  
95,000  
100,000  
mean: 101,500

Observations during testing: loss of nap (fibrous surface) apparent at 5,000 rubs.

Reported by:  L I Butler (Mrs)  
Senior Technician - Textiles  
  
Countersigned by:  J M Bullers (Mrs)  
Operational Head – Textiles

Shirley Technologies Limited. Registered Office :  
Wira House, West Park Ring Road, Leeds, LS16 6QL.  
A company registered in England & Wales with company number 04669651.  
VAT Number GB 816764800.  
The supply of all goods and services is subject to our standard terms of  
business, copies of which are available on request.  
Our laboratories are accredited to EN ISO/IEC 17025

